CONTENTS OF VOLUME 426

July 1990

HERLAND J.S., JULIAN F.J. & STEPHENSON D.G. Halothane increases Ca^{2+} efflux via Ca^{2+} channels of sarcoplasmic reticulum in chemically skinned rat myocardium. 1

GANITKEVICH V.Ya. & ISENBERG G. Contribution of two types of calcium channels to membrane conductance of single myocytes from guinea-pig coronary artery. 19

SCHWARTZ E.A. & TACHIBANA M. Electrophysiology of glutamate and sodium co-transport in a glial cell of the salamander retina. 43

RILEY Michael V. & WINKLER Barry S. Strong Pasteur effect in rabbit corneal endothelium preserves fluid transport under anaerobic conditions. 81

USOWICZ Maria M., PORZIG Hartmut, BECKER Charlotte & REUTER Harald Differential expression by nerve growth factor of two types of Ca^{2+} channels in rat phaeochromocytoma cell lines. 95

MORIMOTO Akio, SAKATA Yoshiyuki, WATANABE Tatsuo & MURAKAMI Naotoshi Leucocytosis induced in rabbits by intravenous or central injection of granulocyte colony stimulating factor. 117

MURAKAMI M., MIYAMOTO S. & IMAI Y. Oxygen consumption for K^+ uptake during post-stimulatory activation of Na^+, K^+-ATPase in perfused rat mandibular gland. 127

WEISS D.S. & MAGLEBY K.L. Voltage dependence and stability of the gating kinetics of the fast chloride channel from rat skeletal muscle. 145

LACQUANITI F., LE TAILLANTER M., LOPIANO L. & MAIOLI C. The control of limb geometry in cat posture. 177

GALLACHER D.V., HANLEY M.R., PETERSEN O.H., ROBERTS M.L., SQUIRE-POLLARD L.G. & YULE D.I. Substance P and bombesin elevate cytosolic Ca^{2+} by different molecular mechanisms in a rat pancreatic acinar cell line. 193

MIYAZAKI Shun-ichi, KATAYAMA Yoko & SWANN Karl Synergistic activation by serotonin and GTP analogue and inhibition by phorbol ester of cyclic Ca^{2+} rises in hamster eggs. 209

NORDIN Magnus Low-threshold mechanoreceptive and nociceptive units with unmyelinated (C) fibres in the human supraorbital nerve. 229

TOKIMASA T. & AKASU T. ATP regulates muscarine-sensitive potassium current in dissociated bull-frog primary afferent neurones. 241

HOHEISEL U. & MENSE S. Response behaviour of cat dorsal horn neurones receiving input from skeletal muscle and other deep somatic tissues. 265

COHEN M.W., FRAIR P.F., CANTIN C. & HÉBERT G. Developmental changes in the half-life of acetylcholine receptors in the myotomal muscle of *Xenopus laevis*. 281

DONNER Kristian, HEMILÄ Simo, KALAMKAROV Grigorii, KOSKELAINEN Ari & SHEVCHENKO Tatyana Rod phototransduction modulated by bicarbonate in the frog retina: roles of carbonic anhydrase and bicarbonate exchange. 297

THORNHILL Jim & HALVORSON Ivan Brown adipose tissue thermogenic responses of rats induced by central stimulation: effect of age and cold acclimation. 317

MARSHALL Janice M. & METCALFE J.D. Effects of systemic hypoxia on the distribution of cardiac output in the rat. 335

CZYZYK-KRZESKA Maria F. & TRZEBSKI Andrzej Respiratory-related discharge pattern of sympathetic nerve activity in the spontaneously hypertensive rat. 355

NAKASHIMA K., ROTHWELL J.C., DAY B.L., THOMPSON P.D. & MARSDEN C.D. Cutaneous effects on presynaptic inhibition of flexor Ia afferents in the human forearm. 369

KUDO Yoshiki & BOYD C.A.R. Human placental L-tyrosine transport: a comparison of brush-border and basal membrane vesicles. 381

JONES C.T. & EDWARDS A.V. Release of adrenocorticotrophin from the adrenal gland in the conscious calf. 397

NORDSTROM Michael A., MILES Timothy S. & TÜRKER Kemal S. Synchronization of motor units in human masseter during a prolonged isometric contraction. 409

ERIKSEN Morten, WAALER Bjarne A., WALLØE Lars & WESCHE Jarlis Dynamics and dimensions of cardiac output changes in humans at the onset and at the end of moderate rhythmic exercise. 423

AKASU T., TSURUSAKI M. & TOKIMASA T. Reduction of the N-type calcium current by noradrenaline in neurones of rabbit vesical parasympathetic ganglia. 439

WILLARD Alan L. Substance P mediates synaptic transmission between rat myenteric neurones in cell culture. 453

DELANEY K.R. & ZUCKER R.S. Calcium released by photolysis of DM-nitrophen stimulates transmitter release at squid giant synapse. 473

YAMAGUCHI K., NAKAJIMA Y., NAKAJIMA S. & STANFIELD P.R. Modulation of inwardly rectifying channels by substance P in cholinergic neurones from rat brain in culture. 499

CERETELLI P., COSTA M., FERRETTI G., FERRIGNO M., GRASSI B., LUNDGREN C.E. & MARCONI C. Erratum: *Journal of Physiology* **420** (1990) 521

PROCEEDINGS OF THE PHYSIOLOGICAL SOCIETY

30–31 *March* 1990

University College London Meeting

DEMONSTRATIONS

Duchen M.R., Pearce R.J. & Biscoe T.J. Use of microfluorimetry to monitor mitochondrial membrane potential in single dissociated mammalian cells. 2*P*

Mill J.G., O'Neill S.C. & Eisner D.A. Production of local contractions in isolated rat ventricular myocytes. 3*P*

Vienot F. A portable apparatus for measuring wavelength discrimination in man. 4*P*

Duchen M.R., Millar J. & Biscoe T.J. Voltammetric measurement of catecholamine release from isolated rat chromaffin cells. 5*P*

Wright B.M., Baker J.A. & Rosenthal M. Airways-pressure triggered (ATP) ventilation in the newborn. 6*P*

Clark Beverley & Mobbs Peter A flat-mount preparation of the rabbit retina for whole-cell patch-clamp studies of capillary endothelial cells, pericytes and astrocytes. 7*P*

COMMUNICATIONS

Banerjee Anjan K. & Peters T.J. Hypertonic jejunal contents and hypoglycaemia synergistically increase jejunal glucose absorption in the Sprague–Dawley rat. 8*P*

Taggart P., Sutton P.M.I., John R., Lab M.J. & Swanton R.H. Evidence for contraction–excitation feedback in conscious man. 9*P*

Sutton P.M.I., Taggart P., Runnalls M., O'Brien W. & Treasure T. Myocardial protection of the arrested heart during cardiac surgery in man: possible non-uniformity? 10*P*

Jiang C., Crake T. & Poole-Wilson P.A. Inhibition by barium and glibenclamide of the net loss of ^{86}Rb from isolated rabbit myocardium during hypoxia. 11*P*

Kilborn M.J., Fedida D. & Giles W.R. Postnatal changes in background K^+ current in ventricular myocytes of rat heart. 12*P*

Connors S.P., Gill E.W. & Terrar D.A. Activation of time-dependent potassium current in ventricular cells isolated from guinea-pig. 13*P*

Scamps Frédérique & Vassort Guy Mechanism of ATP-induced depolarization in isolated rat ventricular myocytes. 14*P*

Levi Allan J. Cardiac glycosides, action potential shortening and electrogenic Na–Ca exchange in isolated guinea-pig ventricular myocytes. 15*P*

Chapman R.A. & Rodrigo Glenn C. Intracellular amino acids and the regulation of $[Na]_i$: an effect upon calcium tolerance in isolated guinea-pig ventricular myocytes. 16*P*

Rodrigo Glenn C. & Chapman R.A. The relationship between the rate of Na loading, membrane current and membrane potential in guinea-pig ventricular myocytes, during perfusion with Ca- and Mg-free Tyrode solution. 17*P*

Porciatti F. & DiFrancesco D. High Na permeability of L-type Ca channels in isolated rabbit SA node cells. 18*P*

Mery Pierre-François, Lohmann Susanne M. & Fischmeister Rodolphe Cyclic GMP-dependent protein kinase mediates the inhibitory effect of cyclic GMP on calcium current in rat ventricular myocytes. 19*P*

Lindsay A.R.G. & Williams A.J. Monovalent cation conductance and selectivity of the purified sheep cardiac sarcoplasmic reticulum calcium-release channel. 20*P*

Sitsapesan R., Montgomery R.A.P., MacLeod K.T. & Williams A.J. Increased open probability of sheep cardiac sarcoplasmic reticulum calcium-release channels induced by low temperatures. 21*P*

Buckler K.J., Denyer J.C., Vaughan-Jones R.D. & Brown H.F. Intracellular pH regulation in rabbit isolated sino-atrial node cells. 22*P*

Russell S.N. & Aaronson P.I. Carbachol inhibits the voltage-gated calcium current in smooth muscle cells isolated from the longitudinal muscle of the rabbit jejunum. 23*P*

Walter S.J., Skinner J. & Shirley D.G. Effect of haemorrhage on renal papillary osmolality in anaesthetized rats. 24*P*

Pediani J.D., Kenyon C.J. & Elder H.Y. Quantification by electron probe X-ray microanalysis of the effects of angiotensin on intracellular concentrations of Na, K, Cl and P in isolated bovine adrenocortical cells. 25*P*

Ayad V.J., Guldenaar S.E.F. & Wathes D.C. Localization of oxytocin receptors in the uterus and oviduct of the oestrous ewe. 26*P*

Apatu R.S.K., Barnes R.J. & Martin B.R. The effects of cortisol and ACTH on the concentration of adrenoreceptors in membrane preparations from fetal sheep livers. 27*P*

Daniel P.M., Mugglestone Diana, Oon Beryl & Warley Alice Effect of a diet which includes essential fatty acids on lymphocyte numbers in the anaesthetized diabetic rat. 28*P*

Kuiack Stephanie & McComas A.J. Transient hyperpolarization of non-contracting muscle fibres in anaesthetized rats. 29*P*

Hughes S. & Smith M.E. β-Endorphin receptors in skeletal muscles of the mouse. 30*P*

Ashley C.C., Mulligan I.P. & Palmer R.E. ADP slows the relaxation of single permeabilized muscle fibres from frog following flash photolysis of the caged calcium chelator, Diazo-2. 31*P*

Nagesser A.S., van der Laarse W.J. & Elzinga G. Metabolic recovery of fatigued single muscle fibres of *Xenopus laevis*. 32*P*

Phillips S.K. & Woledge R.C. The effects of metabolic substrate on force production in isolated mouse skeletal muscle. 33*P*

de Haan A. & Sargeant A.J. Changes in work output and muscle metabolites during repetitive dynamic contractions in the anaesthetized rat. 34*P*

Curtin N.A. & Woledge R.C. Stimulus pattern for sustained work output during cyclic contractions of white muscle isolated from dogfish. 35*P*

Gardner-Medwin A.R. & Curtin N.A. Implications of the septal structure in fish muscle. 36*P*

Edman K.A.P. & Josephson R.K. Changes in maximum speed of shortening during the rising phase of tetanus in isolated muscle fibres of the frog. 37*P*

Lombardi V., Piazzesi G. & Goldman Y.E. Following tetanic stimulation, relaxation is accelerated by quick stretches of frog single muscle fibres. 38*P*

Dantzig J.A., Goldman Y.E. & Lombardi V. Cross-bridge viscoelasticity in single rabbit skinned muscle fibres during steady lengthening and shortening in the presence and absence of phosphate. 39*P*

Brenner B. Transient detachment of force-generating cross-bridges in Ca^{2+}-activated skinned psoas fibres of the rabbit. 40*P*

Peckham M., Drummond D.R., Sparrow J.C. & White D.C.S. A single amino acid change in actin expressed in the flight muscles of *Drosophila melanogaster* decreases wing-beat frequency and affects flight muscle mechanics. 41*P*

Gulati J. & Babu Á. Role of the central helix in recombinant calmodulin for contraction–relaxation switching mechanisms of permeabilized rabbit psoas muscle fibres and guinea-pig taenia coli. 42*P*

Hawkins C.P., McDonald W.I., Revesz T. & Williams S.C.R. Myelin breakdown products detected by magnetic resonance imaging in man. 43*P*

Fern Robert & Harrison P.J. The contribution of ischaemia and axon deformation to conduction block induced by compression in the sciatic nerve of the anaesthetized cat. 44*P*

Leresche Nathalie, Jassik-Gerschenfeld Dora, Haby M., Soltesz I. & Crunelli V. Spontaneous oscillations of cat and rat thalamocortical cells *in vitro*. 45*P*

Lightowler S., Pollard C.E. & Crunelli V. The slow Na^+–K^+ inward rectifier current of cat thalamocortical cells *in vitro*. 46*P*

McCrohan C.R., O'Shaughnessy C.T., Thomson A.M., Boulton C.L. & Jha A.K. Effect of dibutyryl cyclic AMP on neuronal excitability in rat neocortex *in vitro*. 47*P*

Jones R.S.G. Synaptic responses of neurones in layer II of the rat medial entorhinal cortex to stimulation of the para-subiculum *in vitro*. 48*P*

McBain C.J., Traynelis S.F. & Dingledine R. The volume fraction of rat hippocampal extracellular space *in vitro* displays marked subfield variation 49*P*

Xu Y.Z. & Krnjević K. Induction of long-term potentiation in isolated slices of Sprague–Dawley rat hippocampus is not blocked by dantrolene sodium. 50*P*

Randall A.D., Schofield J.G., Davies C.H. & Collingridge G.L. The baclofen depression of excitatory synaptic transmission in rat hippocampus *in vitro* can be reversed by 2-hydroxy-saclofen. 51*P*

Gibb Alasdair J. Clusters of NMDA receptor channel openings are activated by low concentrations of L-glutamate in dissociated hippocampal cells of adult rat. 52*P*

Alford S. & Grillner S. $GABA_B$ receptor-mediated presynaptic modulation is due to a G protein-coupled mechanism in isolated spinal cord of the lamprey, *I. unicuspis*. 53*P*

Elliott Peter & Wallis D.I. The action of 5-hydroxytryptamine on lumbar motoneurones in neonatal rat spinal cord *in vitro*. 54*P*

Doyle C.A. & Maxwell D.J. Synaptic organization of tyrosine hydroxylase-immunoreactive boutons in the lumbosacral spinal cord of the cat. 55*P*

Taylor A. & Durbaba R. Classification of jaw-closer muscle spindle afferents in the anaesthetized cat. 56*P*

Harrison P.J. & Riddell J.S. Security of transmission in Ib inhibitory reflex pathways of the anaesthetized cat. 57*P*

Rowe S. & Warner A. Are monoamines involved in the control of primary neuronal differentiation in the amphibian embryo? 58*P*

Greensmith L. & Vrbová G. Regulation of choline acetyltransferase in developing rat motoneurones. 59*P*

Clowry G.J., Shahani U. & Vrbová G. Reinnervation of muscles by embryonic motoneurones grafted into the spinal cord of adult rats. 60*P*

Tolkovsky A.M., Buckmaster A.E., Chase A. & Edwards S. Cyclic AMP mimics the survival-promoting actions of nerve growth factor (NGF) on cultured sympathetic neurones but arrests neurite outgrowth. 61*P*

Murrell R.D. & Tolkovsky A.M. Chronic depolarization causes a decrease in functional calcium channels expressed in cultured rat sympathetic neurones. 62*P*

Swann Karl Injection of a cytosolic factor from sperm imitates the membrane potential fertilization response in golden hamster eggs *in vitro*. 63*P*

Tregear R.T., Hoyland J. & Mason W.T. Free calcium change in single human lymphoma cells stimulated by concanavalin-A and its succinylated derivative. 64*P*

Duchen M.R. & Biscoe T.J. Changes in mitochondrial membrane potential and $[Ca^{2+}]_i$ with hypoxia in type I cells isolated from the rabbit carotid body. 65*P*

Buckler K.J., Nye P.C.G., Peers C. & Vaughan-Jones R.D. Effects of simulated respiratory and metabolic acidosis/alkalosis on pH_i in isolated type I carotid body cells from the neonatal rat. 66*P*

Mahaut-Smith M.P., Rink T.J. & Sage S.O. Block of K^+ channels depolarizes the membrane potential and reduces agonist-evoked Ca^{2+} influx in human platelets. 67*P*

Roeper Jochen, Hainsworth Atticus & Ashcroft Frances M. Tolbutamide reverses hypoglycaemia-induced hyperpolarization in guinea-pig isolated substantia nigra neurones. 68*P*

Stansfeld C.E., Marsh S.J. & Brown D.A. Putative M-channels in cultured rat superior cervical ganglion (SCG) cells. 69*P*

Langton P.D., Nelson M.T., Huang Y. & Standen N.B. The block of Ca^{2+}-activated K^+channels by external TEA^+ and tetrapentylammonium ions in isolated arterial smooth muscle cells from rat and rabbit. 70*P*

Amédée T., Large W.A. & Wang Q. Noradrenaline-evoked membrane currents recorded with the nystatin whole-cell method in freshly dispersed rabbit ear artery cells. 71*P*

Pollard C.E., Harris A., Coleman L. & Argent B.E. Chloride channels on human epididymal cells *in vitro*. 72*P*

Fraser G. & Sandle G.I. High conductance K^+ channels in the plasma membrane of cultured human gastric cells (HGT-1) 73*P*

Di Benedetto G., Manara-Shediac F.S. & Mehta A. Inhibition of the cyclic AMP-induced rise of ciliary activity by 1-(5-isoquinolinylsulphonyl)-2-methylpiperazine in human respiratory epithelium *in vitro*. 74*P*

Sagmanligil V. & Levin R.J. Starvation enhances mouse colonic electrogenic secretion evoked by cholinergic but not by cyclic AMP mediation *in vitro*. 75*P*

Francis L.P., Camello P.J., Singh J., Salido G.M. & Madrid J.A. Interactions between cholecystokinin and phorbol ester in the pancreas of the anaesthetized rat and permeabilized acini. 76*P*

Athayde C.M. & Knight D.E. GTPγS inhibits Ca-dependent secretion from permeabilized bovine chromaffin cells. 77*P*

Athayde C.M. & Knight D.E. Evidence that protein kinase C activation is essential for secretion from electropermeabilized human platelets. 78*P*

Hatton G.I., Mason W.T. & Bicknell R.J. Dynorphin$_{1-8}$ mobilizes intracellular calcium ([Ca^{2+}]$_i$) in cells cultured from adult rat neuronal lobe via an action that does not involve the classical opioid receptors. 79*P*

Lovick T.A. Stimulation in the ventral periaqueductal grey matter modulates the cardiovascular response evoked from the midbrain defence area in anaesthetized rats. 80*P*

Silva-Carvalho L., Paton J.F.R., Sun M.K. & Spyer K.M. Effect of electrical stimulation of lobule IXb of the posterior cerebellar vermis on neurones within the rostral ventrolateral medulla in the anaesthetized cat. 81*P*

Sebastiani L., la Noce A., Paton J.F.R. & Ghelarducci B. Removal of the posterior cerebellar vermis attenuates classically conditioned bradycardia in the rabbit. 82*P*

Daly M. de Burgh Some reflex cardio-inhibitory responses in the anaesthetized cat, and their modification by central inspiratory neuronal activity. 83*P*

Gardiner S.M., Compton A.M., Bennett T., Palmer R.M.J. & Moncada S. Regional haemodynamic changes in Brattleboro rats during oral ingestion of L-nitroarginine methylester (L-NAME). 84*P*

Bennett T., Compton A.M. & Gardiner S.M. Regional haemodynamic effects of bombesin in conscious, Long–Evans rats. 85*P*

Caro C.G., Dumoulin C.L., Graham J.M.R. & Souza S.P. Secondary flow in the human common carotid artery imaged by magnetic resonance angiography. 86*P*

Tepperman B.L. & Whittle B.J.R. Actions of noradrenaline and neuropeptide Y on gastric mucosal blood flow and integrity in the anaesthetized rat. 87*P*

Aidulis Dorothy M., MacKenzie Fiona R., Morrison K.M. & Pollock D. Alteration in the responsiveness of isolated blood vessels from sportaneously hypertensive rats to vasoconstrictors. 88*P*

Leach R.M., Twort C.H.C., Cameron I.R. & Ward J.P.T. Chronic hypoxia alters contractile and pharmacological responses in isolated rat pulmonary vessels. 89*P*

Kelestimur H., Leach R. & Forsling Mary L. Chronic hypoxia raises plasma arginine vasopressin in rats. 90*P*

Russell P.C., Emery C.J., Nichol J.R., Barer G.R. & Howard P. Interactions between almitrine and hypoxia on the pulmonary circulation in the isolated rat lung. 91*P*

Markiewicz M., Barker P.M. & Walters D.V. The effect of propranolol on the postnatal absorption of luminal lung fluid in the *in situ* perfused sheep lung. 92*P*

Bascom D.A., Clement I.D., Cunningham D.A., Painter R. & Robbins P.A. Changes in ventilatory sensitivity to CO_2 during a sustained period of isocapnic hypoxia in man. 93*P*

Hughes K.R., Cross B.A., Stidwill R.P., Semple S.J.G., Howells K.D., Smith G. & Treasure T. Aortic pH oscillations in conscious humans, anaesthetized cats and rabbits. 94*P*

Donaldson G.C., Skehan J.D. & Keatinge W.R. Use of early portion of expiration for single-breath estimation of cardiac output, P_{v,CO_2} and P_{a,CO_2} in man. 95*P*

Kendrick A.H., Brewin M., Higgs C.M.B., Hudson A., Tanser A.R. & Laszlo G. Effect of training on single-breath carbon monoxide transfer coefficient (K_{CO}) in man. 96*P*

Ward A.J., Kendrick A.H., Laszlo G. & Solomon L. Six-minute walking studies in patients with unilateral osteoarthritis of the hip. 97*P*

White S.J., Boulpaep E.L. & Giebisch G. Transport properties of rabbit distal nephron monolayers in primary culture. 98*P*

Hurst A.M. & Hunter M. Furosemide increases potassium channel activity in isolated diluting segment of the frog. 99*P*

Elford B.C., Pinches R.A., Newbold C.I. & Ellory J.C. Quinine inhibits cation-selective membrane transport in *Plasmodium falciparum*-infected human red cells. 100*P*

Acevedo M., Olver R.E. & Ward M.R. Circuit analysis of tracheal epithelium isolated from sheep. 101*P*

Inghilleri M., Cruccu G., Berardelli A., Innocenti P., Manfredi M. & Rothwell J.C. Inhibition of motor responses evoked by transcranial magnetic stimulation by peripheral nerve stimulation in man. 102*P*

Amassian V.E. & Jayachandra M. Aspects of conduction failure in traumatized long tract spinal axons of anaesthetized cat. 103*P*

Boniface S.J., Mills K.R. & Schubert M. The optimum direction and orientation of the maximal inducing current for magnetic human brain stimulation with a double coil. 104*P*

Flament D., Hall E.J., Lemon R.N. & Simpson M. The development of cortically evoked muscle responses in infant macaque monkeys studied with electromagnetic brain stimulation. 105*P*

Binns K.E., Grant S., Keating M.J. & Withington-Wray D.J. In the anaesthetized guinea-pig, the external nucleus of the inferior colliculus contains a spatial map of the auditory azimuth. 106*P*

Murphy P.C. & Sillito A.M. The effects of acetylcholine (ACh) on direction selectivity of cells in the primary visual cortex of anaesthetized cats. 107*P*

Levy R.H., Jones H.E. & Sillito A.M. The actions of iontophoretically applied 7-chloro-kynurenate and HA-966 on sensory transmission in the dorsal lateral geniculate nucleus (dLGN) of the anaesthetized cat. 108*P*

Hammond P. & Pomfrett C.J.D. Visual cortical neurones in the anaesthetized cat: binocular mismatch of spatial frequency tuning and directionality. 109*P*

Meissirel C., Kennedy H., Dehay C., Berland M. & Dumas A.M. Segregation of association and callosal visual cortical pathways during fetal and postnatal development in the monkey. 110*P*

Waterston J.A. & Barnes G.R. The influence of target velocity and intermittent target illumination on head-free pursuit in normal human subjects. 111*P*

Poblete M.T., Reynolds N., Figueroa C.D., Burton J. & Bhoola K.D. Immunocytochemical localization of tissue kallikrein in sweat glands and in psoriatic epidermis of human skin biopsies. 112*P*

Prydal J.I. Optical determination of tear film thickness in eight species. 113*P*

Hall A.C., Urban J.P.G. & Gehl K.A. Physiological levels of hydrostatic pressure can stimulate matrix synthesis in isolated bovine articular cartilage. 114*P*

Adamson R.H. Capillary permeability in decerebrate frogs is rapidly increased by a factor in human blood plasma. 115*P*

Hawkins C.P., Landon D.N., Mackenzie F., McDonald W.I. & Munro P.M.G. Studies on the mechanism of blood–brain barrier breakdown in chronic relapsing experimental allergic encephalomyelitis in the guinea-pig. 116*P*

POSTER COMMUNICATIONS

Wu Mei-Lin Elevation of intracellular cyclic AMP inhibits Na–H exchange in the isolated sheep cardiac Purkinje fibre. 117*P*

Mansfield S.G. & Gordon-Weeks P.R. Post-translational modification of tubulin in rat cerebral cortical neurones extending neurites in culture: effects of taxol. 118*P*

Reynolds Margaret L. & Fitzgerald Maria Plasticity of primary afferent terminal chemistry in the rat dorsal horn following neonatal nerve section. 119*P*

Gordon-Weeks P.R., Golding J., Clarke J. & Tonge D. Developmental regulation of laminin expression in the central nervous system of the frog. 120*P*

Trevelyan Andrew J. & Thompson Ian D. Assessment of topography in the visual systems of anaesthetized ferrets and hamsters. 121*P*

Fulton Barbara P. Dye-coupling between rat dorsal root ganglion neurones during embryonic development: an *in vitro* study. 122*P*